

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	"729191".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:30
S2	234	(swoboda near3 gary).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:30
S3	125	(swoboda near3 gary).in. and (packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:31
S4	23	(swoboda near3 gary).in. and (packet datagram frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:49
S5	28	(bryan near3 thome).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:49
S6	20491	(texas near3 instruments).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 11:50
S7	4004	(texas near3 instruments).as. and (packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:50

EAST Search History

S8	1169	(texas near3 instruments).as. and (packet datagram frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:51
S9	1	(texas near3 instruments).as. and (packet datagram frame).clm. and "709".cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:53
S10	11147	(709/236 709/217 709/231 714/776 370/218 370/473 370/474).cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 11:55
S11	21	S10 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:05
S12	84417	(packet datagram frame) near6 (group\$4 class\$3 division\$3 subgroup\$4 subclass\$3 subdivison\$3 sub-group\$4 sub-class\$3 sub-division\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:10
S13	14384	S12 same (identi\$8 distinguish\$3 seperat\$3 characteriz\$3 recogniz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:13
S14	3744	S13 same (first\$3 original\$2 start\$3 beginning\$3) same (second\$2 new\$2 differ\$4 follow\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:15

EAST Search History

S15	2070	S14 same (indicat\$3 flag\$3 bit\$2 portion\$2 mark\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:16
S16	3	S15 same ((op adj code) (operation adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:20
S17	65	S15 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:23
S18	8	S15 and S10 and fragment\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 12:24
S19	1334	S15 same (order\$3 sequenc\$3 flow\$3 stream\$3 layout\$3 chunk\$3 composition\$3 placement\$3 pattern\$3 organiz\$5 succession\$3 structur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:47
S20	155	S19 and fragment\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:48
S21	40	S20 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/04 12:48

EAST Search History

S22	97600	(group\$3 subgroup\$3 sub-group\$3 cluster\$3 multip\$3 chunk\$3 class\$3 subclass\$3 sub-class\$3) near5 (pdu (protocol adj data adj unit) packet datagram frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 08:35
S23	311	S22 with ((eliminat\$3 without remov\$3 no singl\$3 one) near3 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 08:41
S24	176	S23 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 08:41
S25	0	717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) near4 (function operation)) same packet same (trace near3 stream\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47
S26	0	717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) same (function operation)) same packet same (trace near3 stream\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47
S27	1025	717/124.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:47
S28	14	717/124.ccls. and (trace near4 stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 13:48

EAST Search History

S29	93	S27 and (target same host)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 16:36
S30	36	S29 and (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 16:48
S31	38	host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:49
S32	16	(host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:00
S33	12	S32 and debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 16:50
S34	364	debug\$4 near3 protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01
S35	16	S34 same host same target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:01

EAST Search History

S36	13	S35 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05
S37	159	S34 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05
S38	5	S36 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/05 17:05
S39	3	debug\$4 same protocol same (packet frame datagram) and "717".class.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 09:38
S40	1	debug\$4 same client same server same (packet frame datagram) and "717".class.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 09:39
S41	705850	(packet pdu (protocol adj data adj unit) frame datagram data (logic adj signal\$3)) near3 (group\$3 cluster\$3 numerous\$3 many multipl\$3 collection\$3 batch\$3 combin\$5 bunch\$3 accumul\$3 quantit\$3 array)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 15:53
S42	128533	S41 same (send\$3 deploy\$4 transmit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 15:57

EAST Search History

S43	6056	S42 same (first begin\$4 start lead\$3 initial prim\$3) near6 (mark\$3 bit identif\$3 indicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:01
S44	60	S43 same (one singl\$4 exclusiv\$3) near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:03
S45	43	S44 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/06 16:03
S46	6	(ghose near3 kanad).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:11
S47	15	"789852".ap. "5307413".pn. "5774467".pn. "5910385".pn. "6032197".pn. "6151318".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:13
S48	14	S47 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 18:13
S49	1748	stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead\$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 15:59

EAST Search History

S50	87	stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead\$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit)) same sub)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/10 16:09
-----	----	---	--	----	-----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	1	(debug\$4 adj protocol) same ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 12:46
S7	33	(debug\$4 adj protocol) and ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:21
S8	33	(debug\$4 adj protocol) and ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:37
S9	0	S8 and ((single one solitary) near2 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:39
S10	18	S8 and ((indicat\$3 mark\$3 identif\$4 recogniz\$3 designat\$3 denot\$5 impl\$4 point\$3 signif\$4 establish\$3 confirm\$3) near3 (first begin\$4 start))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:39
S11	8	S10 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:26
S12	786474	((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near3 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:41

EAST Search History

S13	7031	S12 and ((single one solitary) near2 header)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:43
S14	192916	((indicat\$3 mark\$3 identif\$4 recogniz\$3 designat\$3 denot\$5 impl\$4 point\$3 signif\$4 establish\$3 confirm\$3) near3 (first begin\$4 start\$3) near3 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:42
S15	19	S12 same ((single one solitary) near2 header) same S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:43
S16	6	S15 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 13:44
S17	82814	((test\$3 debug\$3) same (protocol packet datagram frame)) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:04
S18	33711	S17 and ((start\$3 beginning first initial lead\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:43
S19	15423	S18 and (trace tracing stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 09:26

EAST Search History

S20	1722	S19 and (header near2 packet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 09:27
S21	1423	S20 and ((group\$3 batch cluster\$3 chain multiple numerous\$2 continuous\$2) with (packet datagram frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:54
S22	45	S21 and (extension same payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 09:38
S23	208	((debug debugging) near3 protocol) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:05
S24	13	S23 and ((start\$3 beginning first initial lead\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with (trace tracing stream sub-group (sub adj group) subgroup bunch cluster\$3 continuous\$2 batch\$3 chain\$3 group\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:15
S25	55130	((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:01
S26	28692	((start\$3 beginning first initial lead\$3) near5 (packet datagram frame PDU) near5 (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 10:52

EAST Search History

S27	297	((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with extension) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:10
S28	86	S27 and header and (tracing trace stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:03
S29	3	S28 and (gps dgps debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:19
S30	83	S28 not S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 11:19
S31	385	((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (fragmentation fragment\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:02
S32	158	S31 and header and (tracing trace stream\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:03
S33	2	((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (fragment\$3 fragmentation) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with extension) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:15

EAST Search History

S34	5453	@ad<="20021217" and (header with ((number many quantity amount) near3 (group frame fragment datagram pdu packet sub-group (subgroup))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:23
S35	261	@ad<="20021217" and (header with ((number many quantity amount) near3 (group frame fragment datagram pdu packet sub-group (subgroup)))) and debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:24
S36	335	@ad<="20021217" and (header near3 field near3 number near3 (group frame sub-frame fragment datagram pdu packet sub-group subgroup))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:26
S37	244	@ad<="20021217" and (header near3 field near3 number near3 (group frame sub-frame fragment datagram pdu packet sub-group subgroup)) and network and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:45
S38	148	@ad<="20021217" and ((header near2 field near3 (number (how adj many) amount)) near2 (sub-frame fragment datagram pdu packet sub-group subgroup))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:48
S39	18	@ad<="20021217" and (((header adj (sub-frame fragment datagram pdu packet sub-group subgroup)) near2 field near3 (number (how adj many) amount)) near2 (sub-frame fragment datagram pdu packet sub-group subgroup))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:51
S40	904	@ad<="20021217" and (stream\$3 same ((single one) near2 header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:55

EAST Search History

S41	192	@ad<="20021217" and (stream\$3 same ((single one) adj1 header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:55
S42	84	S41 and ((group\$3 batch cluster\$3 chain multiple numerous\$2 continuous\$2) with (fragment pdu packet datagram frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:56
S43	51	S42 and (header with (number (how adj many)) with (fragment pdu packet datagram frame))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:40
S44	41	S43 and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 16:58
S45	2	"20020184373".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:06
S46	2	"20020087716".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:06
S47	832	(header with (number (how adj many)) with (sub-group sub-packet group fragment pdu packet datagram) with (frame group bunch cluster)) and stream\$3 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:44

EAST Search History

S48	232	(header with ((number (how adj many)) adj3 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:49
S49	167	(header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:52
S50	0	((one single) adj3 header) with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:51
S51	143	(header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217" and signal\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 17:53
S52	67	(header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and (stream\$3 with signal\$3) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 18:32
S53	3	(header with (number (how adj many)) with (fragment\$3 fragmentation) with (frame group)) and (stream\$3 with signal\$3) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 18:32
S54	42	(header with (number (how adj many)) with (fragment\$3 fragmentation) with (frame group)) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 18:31

EAST Search History

S55	39	S54 not S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 18:15
S56	58	((one single) adj3 header) with ((number (how adj many) amount quantity) adj3 (sub-group sub-packet group fragment pdu packet datagram)) and (fram\$3 stream\$3 group\$3 bunch\$3 cluster\$3) and @ad<="20021217"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 18:37